

## Replace State-Altering Conditionals with State

(state)

snippet.java

```
abstract class PermissionState{
    public String toString();
    public void claimBy(SystemAdmin admin, SystemPermission permission){}
    public void deniedBy(SystemAdmin admin, SystemPermission
permission){}
    public void grantedBy(SystemAdmin admin, SystemPermission
permission){}
}
```

snippet.java

```
class PermissionClaimed extends PermissionState {
    public void deniedBy(SystemAdmin admin, SystemPermission permission){
        if (!permission.getAdmin().equals(admin))
            return;
        permission.setIsGranted(false);
        permission.setIsUnixPermissionGranted(false);
        permission.setState(DENIED);
        permission.notifyUserOfPermissionRequestResult();
    }

    public void grantedBy(SystemAdmin admin, SystemPermission
permission){
        if (!permission.getAdmin().equals(admin))
            return;
        if (permission.getProfile().isUnixPermissionRequired() &&
!permission.isUnixPermissionGranted()){
            permission.setState(UNIX_REQUESTED);
            permission.notifyUnixAdminsOfPermissionRequest();
            return;
        }
        permission.setState(GRANTED);
        permission.setIsGranted(true);
        permission.notifyUserOfPermissionRequestResult();
    }
}
```

## Move Embellishment to Decorator

가

Decorator

- singleton flyweight
- 가 ,
- Strategy Decorator public 가 가 가

### Replace Conditional Login with Strategy

Strategy ( ) 가 Strategy

#### ### Compose Method

, Composed Method private 가

Compose Method 가

### Inline Singleton

가 ^singleton^

#### ### Encapsulate Composite with Builder

^composite^ ^builder^ 가

#### ### Introduce Polymorphic Creation with Factory Method

가

^facotry method^

### ### Encapsulate Classes with Factory

```

    가 , 가
    , 가
    .
  
```

^factory^

Program to an interface, not an implementation

### Move Creation Knowledge to Factory

```

    ^createion knowledge^
    ^factory^ 가
    .
  
```

### ### Replace Constructors with Creation Methods

```

    가 ,
    가
    .
    static method
  
```

^creation method^

- IT

From:  
<https://moro.kr/> - Various Ways

Permanent link:  
<https://moro.kr/open/%ED%8C%A8%ED%84%B4%EC%9D%84-%ED%99%9C%EC%9A%A9%ED%95%9C-%EB%A6%AC%ED%8C%A9%ED%84%B0%EB%A7%B1>

Last update: 2020/06/02 09:25

