

RANDOM

<https://www.postgresql.org/docs/9.5/static/functions-math.html>

select random()* 10

SQL

snippet.sql

```
ALTER TABLE distributors
  ADD CONSTRAINT zipchk CHECK (LENGTH(zipcode) = 6);
```

drop add .

snippet.sql

```
ALTER TABLE distributors
  DROP CONSTRAINT zipchk
, ADD CONSTRAINT zipchk CHECK (LENGTH(zipcode) = 6);
```

SQL

snippet.sql

```
ALTER TABLE public.event_info_ps
  DROP CONSTRAINT event_info_ps_ck1
, ADD CONSTRAINT event_info_ps_ck1 CHECK (event_state_type::text =
ANY (ARRAY['0001'::CHARACTER VARYING, '0002'::CHARACTER VARYING,
'0003'::CHARACTER VARYING]::text[]));
```

- <http://dba.stackexchange.com/questions/122689/modify-table-constraint-in-postgresql>

NOW -

now() .

<https://www.postgresql.org/docs/9.5/static/functions-formatting.html>

snippet.sql

```
SELECT to_char(now(), 'YYYYMMDDHH24MISS');
```

SELECT now() + interval '-30 days'

<https://www.postgresql.org/docs/9.0/static/functions-datetime.html>

Postgresql - DBLINK

ERROR - function dblink(unknown, unknown) does not exist

가 CREATE EXTENSION dblink;

snippet.sql

```
SELECT dblink_connect('host=localhost user=postgresuser password=enjoy  
dbname=postgres');
```

, host, user, password, dbname

ERROR - a column definition list is required for functions returning "record"

가 , dblink

snippet.sql

```
SELECT p.* FROM dblink('host=localhost user=postgresuser  
password=postgrespassword dbname=mydb', 'select code_type from  
my.common_code') AS p(code_type VARCHAR(10))
```

- <http://www.postgresqlonline.com/journal/archives/44-Using-DbLink-to-access-other-PostgreSQL-Databases-and-Servers.html>

(Add foreign key constraint to existing table)

<http://www.postgresqltutorial.com/postgresql-foreign-key/>

[snippet.sql](#)

```
ALTER TABLE child_table
  ADD CONSTRAINT constraint_name FOREIGN KEY (c1) REFERENCES
parent_table (p1);
```

Plugin Backlinks:

From:

<https://moro.kr/> - Various Ways

Permanent link:

<https://moro.kr/open/postgresql-random>

Last update: 2020/06/02 09:25

