

[Leaflet] Leaflet

: <https://github.com/Leaflet/Leaflet/issues/2286>

snippet.javascript

```
function fnOnClick(data) {
    debugger;
}

L.marker([ data.st_y, data.st_x ]).on('click', L.bind(fnOnClick, null, data));
```

L.marker([data.sty, data.stx]).on('click', fnOnClick);

L.bind(fnOnClick, null, data) .

Pass parameter on Click function

<https://github.com/Leaflet/Leaflet/issues/2286>

snippet.javascript

```
One way is to do MapClick.on('click', L.bind(onMapClick, null, ID)).
```

lon lat lon lat

- <http://www.macwright.org/lonlat/>

Geospatial , .

type	lon, lat (,)	lat, lon (,)
—	—	—
formats	GeoJSON KML Shapefile WKT WKB geobuf	GeoRSS Encoded Polylines(Google)
javascript apis	OpenLayers d3 ArcGIS API for Javascript Mapbox GL JS	Leaflet Google Maps API Tangram

YdWxQD

Leaflet setview :

Method	Returns	Description
—	—	—
setView(<LatLng> center, <Number> zoom?, <zoom/pan options> options?)	this	Sets the view of the map (geographical center and zoom) with the given animation options.

: latitude, X

: longitude, Y

Leaflet가

ILKz2k

Leaflet가

snippet.javascript

```
mymap.invalidateSize();
```

invalidateSize() .

IXWBDp

http://leafletjs.com/

Leaflet Quick Start Guide

head Leaflet CSS .

snippet.javascript

```
<link rel="stylesheet" href="http://cdn.leafletjs.com/leaflet/v0.7.7/leaflet.css" />
```

Leaflet .

snippet.javascript

```
<script src="http://cdn.leafletjs.com/leaflet/v0.7.7/leaflet.js"></script>
```

가 div .

snippet.javascript

```
<div id="mapid"></div>
```

CSS

snippet.javascript

```
#mapid { height: 180px; }
```

Plugin Backlinks:

From:

<https://moro.kr/> - Various Ways

Permanent link:

<https://moro.kr/open/leaflet-%ED%8C%8C%EB%9D%BC%EB%AF%B8%ED%84%B0%EC%A0%84%EB%8B%AC>

Last update: 2020/06/02 09:25

